EWS52PR1

Wine center | Panel Ready
Dual zone wine cellar fridge

Learn
more

MEASUREMENTS

FRONT VIEW

*³/₄" (1.9cm) Adjustable Height

	EWS52PR1
A	31 ¹³/₁₆" (78.7 cm)
B	29 ¹/₁₆" (73.8 cm)
C	34 ¹/₄" (87cm)
D	23 ⁷/₁₆" (59.5 cm)
E	5 ³/₁₆" (13.2cm)

DESCRIPTION

RISERVA - EWS52PR1 with dual temperature zones is designed to store a variety of quality wines and preserve them under optimal conditions. As the global ventilation leader, Elica understands in depth, the importance of maintaining the right temperature, humidity, light and low vibration to ensure the right environment for safe preservation and aging. RISERVA natural beechwood shelves are full extension for easy and safe access to each bottle. The Panel Ready frame and integrated articulated hinge allow a true flush installation within the cabinetry.

FEATURES

- Open door alarm
- Articulated hinge
- High efficiency carbon filters
- Panel ready
- EPC technology
- Quiet operation
- Eco-mode

GENERAL PROPERTIES

Standard Width	24"
Model	EWS52PR1
Dimensions	23 $^7/_{16}$"W x 34 $^1/_4$"H x 23 $^5/_{16}$"D
Weight	128 lbs
Installation type	Built-In & free standing
Refrigeration type	R600a
Volume	4.8 cu ft(135L)
Sound level	39 dBA
Door finish	Panel ready + Tempered glass
Cabinet finish	Black
Interior finish	Black
Hinge design	Articulated hinge
Lighting	3 level white LED
Controls	Capacitive Touch Display with white numbers

COOLING ZONE 1 - WHITE WINES

Total Capacity	16 Bottles of wine (25 oz)
Temperature Ranges	40 to 50°F
Shelving	2 Full extension racks of beechwood with metal front trim

COOLING ZONE 2 - RED WINES

Total Capacity	36 Bottles of wine (25 oz)
Temperature Range	50° to 64°F
Shelving	3 full extension racks of beechwood with metal front

DOOR

Door handle	Tubular
Door tempered glass	Tinted dual panel, Low-e argon-filled
Reversible Door	Yes
	Field reversible door is shipped right-hand hinged

ELECTRICAL SPECIFICATIONS

Compressor Brand	Embraco
Min. Circuit Required	15 A
AC Power	110-120V / 60HZ
Amperage	0.95A
Plug type	B

OTHER FEATURES

Sabbath & holiday mode

Superior full extension racks

Premium beechwood wine racks

White LED lights with 3 level Kelvin shade adjustment

Anti vibration technology & anti damping system

Double panel tempered glass door, UV coated

Stylish look with tubular handle

Beverage Shelving made of

Elica perfect climate technology

KITS

PRO handle	KIT0175505
Carbon filter replacement	L00114-1

WARRANTY:* **Two (2) Years Parts & In-Home Labor. Earn an additional One (1) Year of Parts & In-Home Labor by registering on elica.com**

* The product images shown are for illustration purposes only and may not be an exact representation of the product.
** For valid warranty extension, register within 3 months from purchase. For USA & Canada Users Only.

LINE DRAWINGS

TOP VIEW

23 $^7/_{16}$"(59.6cm)

21 $^{11}/_{16}$"(15mm)

47 $^1/_2$"(120.6cm)

Max 115°

SIDE VIEW

25"(63.5cm)

23 $^1/_4$"(59.1cm)

21 $^{11}/_{16}$"(55cm)

28"(71.1cm)

23 $^5/_8$"(60cm)

22 $^9/_{16}$"(57.3cm)

LINE DRAWINGS

Overlay Panel Dimension:

Door Panel Width	23 $^1/_8$"
Door Panel Height	30 $^3/_{16}$"
Door Panel Depth	$^3/_4$" max
Door Panel Weight	10 lbs max
Viewable Area Width	18 $^3/_4$"
Viewable Area Height	23 $^1/_2$"

23 $^1/_{16}$"

$^3/_4$"

3 $^5/_{16}$"

23 $^9/_{16}$"

23 $^9/_{16}$"

30 $^1/_8$"

3 $^5/_{16}$"

2 $^3/_{16}$"

18 $^{11}/_{16}$"

2 $^3/_{16}$"

4 $^5/_{16}$"

13 $_{16}$"

12 $^{15}/_{16}$"

13 $_{16}$"

4 $^5/_{16}$"

5 $^7/_{16}$"

Ø $^1/_8$"
Blind hole

$^5/_8$"

$^5/_8$"

$^{15}/_{16}$"

19 $^5/_{16}$"

Ø $^1/_4$"
Via hole

$^{15}/_{16}$"

$^5/_8$"

$^5/_8$"

5 $^7/_{16}$"

Ø $^1/_8$"
Blind hole

4 $^5/_{16}$"

13 $_{16}$"

12 $^{15}/_{16}$"

13 $_{16}$"

4 $^5/_{16}$"